



eKAPIC compatibility check

Compatibility guide | Guía de compatibilidad

ROTOR COMPONENTES TECNOLÓGICOS SL

Pol.Ind. Conmar. C/Miño, 14. 28864, Ajalvir, Madrid, Spain

P95-002-00974-002

May, 2021



Lea y comprenda en su totalidad el manual de usuario proporcionado por el fabricante

Be sure to read and understand the user's manual provided by manufacturer


Die Bedienungsanleitungen der Hersteller für befolgen

Assurez-vous de lire et de comprendre le manuel d'utilisation fourni

Essere sicuri di avere compreso i manuali d'uso dei produttori



techservice@rotorbike.com



EKAPIC

MTB cranks for ebikes

Please, follow these simple steps to know if your ebike is compatible with our cranks.


It will take you just 5 minutes and you will only need a meter to take two measurements on your bike.

1


Be sure of your eMTB engine is one of the next ones:

- ✓ BOSCH® Gen4
- ✓ FAZUA® Evation
- ✓ BROSE® Mag
- ✓ POLINI® E-P3

- ② If the engine model of your eMTB matches one of these models, take the measurement of the width of the frame at the point detailed in the picture 2.




Pic 1



Pic 2

- ③ Add to the obtained value 2 cm for each side.



Keep this value and follow the next instructions to know the distance between your cranks.

This measurement will be related with the space needed and the Q-Factor.

$$2 \text{ cm} + \text{VALUE} + 2 \text{ cm} = \text{____ cm (Space)}$$

- ④ If the value obtained (Space) is less than the Q-Factor indicated below for the engine model of your eMTB, our ROTOR eKAPIC crank arms are compatible with your eMTB.

eKAPIC BOSCH® Gen4

QF 171 → 17.1 cm

eKAPIC BROSE® Mag

QF 170 → 17 cm

QF 184 → 18.4 cm

eKAPIC FAZUA® Evation

QF 169 → 16.9 cm

eKAPIC POLINI® E-P3

QF 174 → 17.4 cm

Por favor, sigue estos simples pasos para saber si tu bicicleta eléctrica es compatible con nuestras bielas.

Solo te llevará 5 minutos y solo necesitarás un metro para tomar dos medidas en tu bicicleta.

1

Confirma que el motor de tu eMTB es uno de los siguientes:

- ✓ BOSCH® Gen4
- ✓ FAZUA® Evation
- ✓ BROSE® Mag
- ✓ POLINI® E-P3

- ② Si el modelo de motor de tu eMTB coincide, toma la medida del ancho de tu cuadro desde el punto indicado en la imagen 2.




Imagen 1





Imagen 2

- ③ Añade 2 cm por cada lado a la medida obtenida.



Guarda el resultado y sigue los siguientes pasos para conocer la distancia entre tus bielas.

Esta medida estará relacionado con el espacio necesario y el Q-Factor.

$$2 \text{ cm} + \text{MEDIDA} + 2 \text{ cm} = \text{____ cm (Espacio)}$$

- ④ Si el resultado obtenido (Espacio) es menor que el Q-Factor indicado más abajo para el modelo de motor de tu eMTB, nuestras bielas ROTOR eKAPIC son compatibles con tu bicicleta eléctrica.

eKAPIC BOSCH® Gen4

QF 171 → 17.1 cm

eKAPIC BROSE® Mag

QF 170 → 17 cm

QF 184 → 18.4 cm

eKAPIC FAZUA® Evation

QF 169 → 16.9 cm

eKAPIC POLINI® E-P3

QF 174 → 17.4 cm



www.rotorbike.com



rotorbikecomponents



rotor_bike



rotorbike



Papel ecológico, libre de cloro. Bosques sostenibles. Tintas de "biomasa" a base de plantas.
Ecological paper, chlorine free. Sustainable forests. Inks of "biomass" based on plants.